

**Australian/New Zealand  
Certification Scheme for**

**EXPLOSION-PROTECTED ELECTRICAL EQUIPMENT**

**ANZEx Scheme**

***Certificate of Conformity***

Certificate No.: <b>ANZEx 09.4086X</b>	Issue No.: <b>1</b>	Date of Issue: <b>04 July 2011</b>
--	---------------------	------------------------------------

**Certificate Holder:** CCG Cable Terminations (PTY) LTD  
33 – 37 Forge Road  
Spartan Industrial Area, Kempton Park 1619  
SOUTH AFRICA

**Electrical Apparatus:** VRTX Range of Cable Glands

**Type of Protection:** Ex e II and Ex tD A21 IP66/68 (2m cont.)

**Marking Code:** Refer to Schedule

**Manufacturing Location(s):** CCG Cable Terminations (PTY) LTD  
33 - 37 Forge Rd  
Spartan Industrial Area, Kempton Park 1619  
SOUTH AFRICA

*The EPEE certification database located at [www.anzex.com.au](http://www.anzex.com.au) shows the validity of this Certificate.*

This certificate and schedule shall not be reproduced except in full

 ABN 06 098 886 563	<p>Certificate issued by</p> <p><b><i>ITACS Pty. Ltd.</i></b> <b><i>4-6 Second Street SA 5007 Australia</i></b> <b><i>PO Box 300 Hindmarsh SA 5007 Australia</i></b> <b><i>Phone: +61 8 8346 8680 Fax: +61 8 8346 7072</i></b> <b><i>Email: itacs@itacslab.com</i></b></p>	 Accreditation by the Joint Accreditation System of Australia and New Zealand Acc No. Z2870404AA <a href="http://www.jas-anz.com.au/register">www.jas-anz.com.au/register</a>
---	--	---

**Australian/New Zealand  
Certification Scheme for**

**EXPLOSION-PROTECTED ELECTRICAL EQUIPMENT**

**ANZEx Scheme**

Certificate No.: <b>ANZEx 09.4086X</b>	Issue No.: <b>1</b>	Date of Issue: <b>04 July 2011</b>
--	---------------------	------------------------------------

*This certificate is granted subject to the conditions as set out in Standards Australia/Standards New Zealand Miscellaneous Publication **MP87.1:2008***

**STANDARDS:**

*The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:*

<b>AS/NZS 60079-0: 2005</b>	<b>Electrical apparatus for explosive gas atmospheres – Part 0: General requirements</b>
<b>AS/NZS 60079-7: 2006</b>	<b>Electrical apparatus for explosive gas atmospheres – Part 7: Increased safety “e”</b>
<b>AS/NZS 61241-0:2005.</b>	<b>Electrical apparatus for use in the presence of combustible dust Part 0: General requirements</b>
<b>AS/NZS 61241-1:2005</b>	<b>Electrical apparatus for use in the presence of combustible dust Part 1: Protection by enclosures tD</b>
<b>AS 60529:2004</b>	<b>Degrees of protection provided by enclosures (IP Code)</b>

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above. Attention is drawn to the fact that the above Standards have been superseded.*

**TEST & ASSESSMENT REPORTS:**

*The equipment listed has successfully met the examination and test requirements as recorded in*

Test Report No. and Issuing Body: **ITACS TR 5118**  
Quality Assessment Report No. and Issuing Body: **IECEX QAR, ITACS - AU/ITA/QAR08.0002/01**

File Reference: **09.4086X**



*Signed for and on behalf of issuing body*

Certification Authority

4 July 2011

*Position*

*Date of Issue*

This certificate and schedule shall not be reproduced except in full  
This certificate is not transferable and remains the property of the issuing body  
and must be returned in the event of it being revoked or not renewed.

# Australian/New Zealand Certification Scheme for

## EXPLOSION-PROTECTED ELECTRICAL EQUIPMENT

### ANZEx Scheme

Certificate No.: <b>ANZEx 09.4086X</b>	Issue No.: <b>1</b>	Date of Issue: <b>04 July 2011</b>
--	---------------------	------------------------------------

### Schedule

**EQUIPMENT:**

The VRTX range of cable glands are suitable for inserting circular cables into enclosures having threaded entries, as appropriate for the type of protection.

The 'VRTX' range of cable glands for unarmoured cables each comprise of an inner, sealing washer, o-ring (between inner and body), body, compression nut, spring, an outer seal with skid ring and an outer nut. The metallic parts are manufactured from brass (nickel plated), stainless steel or bronze. The spring is manufactured from hard drawn copper. The glands are available with Metric (M20 x 1.5 to M75 x 1.5) entry threads.

The glands are marked with the certification information by means of pin or laser marking. The details for the cable glands are shown in the following schedule.

**Table 1 –**

Gland Size Ref	Entry Thread		Cable Inner Sheath Diameter		Cable Outer Sheath Diameter		Spring
	Diameter	Length (mm)	Min (mm)	Max (mm)	Min (mm)	Max (mm)	Diameter (mm)
0-20s	M20x1.5	15.0	9.6	11.5	13.0	20.0	5.5
0-20	M20x1.5	15.0	10.8	12.5	13.0	20.0	5.5
1-20	M20x1.5	15.0	12.2	14.0	13.0	20.0	4.5
2-25s	M25x1.5	15.0	13.8	16.0	18.0	26.0	6.0
2-25	M25x1.5	15.0	16.0	20.0	18.0	26.0	6.0
3-32s	M32x1.5	15.0	20.0	23.0	23.0	28.0	6.0
3-32	M32x1.5	15.0	22.0	23.5	23.0	28.0	6.0
4-40s	M40x1.5	17.0	23.5	28.0	28.0	39.5	9.0
4-40	M40x1.5	17.0	28.0	32.0	28.0	39.5	7.0
5-50s	M50x1.5	17.0	32.0	36.0	35.2	42.0	9.0
5-50	M50x1.5	17.0	35.5	39.0	40.0	46.0	9.0

**Australian/New Zealand  
Certification Scheme for**

**EXPLOSION-PROTECTED ELECTRICAL EQUIPMENT**

**ANZEx Scheme**

Certificate No.: <b>ANZEx 09.4086X</b>	Issue No.: <b>1</b>	Date of Issue: <b>04 July 2011</b>
--	---------------------	------------------------------------

Gland Size Ref	Entry Thread		Cable Inner Sheath Diameter		Cable Outer Sheath Diameter		Spring
	Diameter	Length (mm)	Min (mm)	Max (mm)	Min (mm)	Max (mm)	Diameter (mm)
6-63s	M63x1.5	17.0	39.0	45.0	45.5	54.0	9.0
6-63	M63x1.5	17.0	44.0	49.5	45.5	54.0	9.0
6-63L	M63x1.5	17.0	49.0	54.0	54.6	62.0	8.0
7-75	M75x1.5	17.0	54.0	59.0	59.0	72.1	9.0

**Marking Code.** The following Marking Code applies:

CCG VRTX (Y)  
Ex e II  
Ex tD A21 IP66/68 (2m Cont.)  
ANZEx 09.4086X

Where (Y) identifies the Gland Size (see Table 1 above)

**VARIATIONS PERMITTED BY ISSUE 1:**

**Issue 1 of this certificate covers the following changes:**

1. The minimum cable outer sheath diameter for gland size 5-50 may be reduced to 40mm as in table 2.

**Table 2 –**

Gland Size Ref	Entry Thread		Cable Inner Sheath Diameter		Cable Outer Sheath Diameter		Spring
	Diameter	Length (mm)	Min (mm)	Max (mm)	Min (mm)	Max (mm)	Diameter (mm)
5-50	M50x1.5	17.0	35.5	39.0	40.0	46.0	9.0

**Australian/New Zealand  
Certification Scheme for**

**EXPLOSION-PROTECTED ELECTRICAL EQUIPMENT**

**ANZEx Scheme**

Certificate No.: <b>ANZEx 09.4086X</b>	Issue No.: <b>1</b>	Date of Issue: <b>04 July 2011</b>
--	---------------------	------------------------------------

**CONDITIONS OF CERTIFICATION:**

**Conditions of manufacture**

It is a condition of manufacture / certification that a copy of the relevant certificate and instructions must be provided with / made available for the glands, including the installation torque and IP maintenance and applicable earthing contact requirements.

**Special conditions of use "X"**

1. It is a condition of safe use that the cable glands shall only be installed for application in a temperature range of -20°C to +80°C.
2. The user shall provide additional clamping of the cable to ensure that pulling and twisting is not transmitted to the terminations

**DRAWINGS:**

**Drawings applicable to Issue 0 of this Certificate:**

Drawing No.	Drawing Title	Revision	Date
0531-0 - 053107-MATL	VRTX GLAND MATERIAL	Original	2009/09/23
0531-0 - 053107	No. "X" VRTX GLAND ASSEMBLY	Original	2009/09/23
0531-0 - 053107-MARKING	No. "X" VRTX GLAND MARKING	Original	2009/09/23
0531-0 -B - 053107-B	No. "X" VRTX BODY	Original	2009/09/23
0531-0-OS - 053107-OS	No."X" VRTX OUTER SEAL	Original	2009/09/11
0531-0-ON - 053107-ON	No."X" OUTER NUT	Original	2009/08/28
0531-0-SG - 053107-SG	No."X" SEALING GASKET	Original	2009/09/14
0531-0-SR - 053107-SR	No."X" SKID RING	Original	2009/09/11
0531-0-I - 053107-I	No."X" VRTX INNER	Original	2009/09/23
0531-0-CN - 053107-CN	No."X" VRTX COMPRESSION NUT	Original	2009/09/23

**Drawings applicable to Issue 1 of this Certificate:**

Drawing No.	Drawing Title	Revision	Date
0531-0 - 053107 REV 1	No. "X" VRTX GLAND ASSEMBLY	1	2011/01/03